

ICR Water Co.

Operation Report for the Month of October 2022

Overall Operations

- General maintenance and operations are on-going
- Easement roads are checked for issues with the transmission lines
- System wide engineering review is on-going with Civil Tech Engineering
- Redlined plans for the systems have been given to Civil-Tech for review and update
- 9 new meter installs (9) TRR
- Failed equipment for ICR Well #2 is at the manufacturer to be evaluated
- ICR Well #2 is back on-line with new equipment
- APS meter has been replaced at ICR Well #2
- Cooper Morgan boost station pump rehab. is complete all pumps have been rebuilt
- Mission control upgrades are being completed, Double Adobe boost station is the final site
- Yearly Valve exercise program and hydrant leak detection is complete
- Empire checked the transfer switch at Molly Way and said it was good
- 0 emergency call outs
- 106 Blue Stakes orders were completed
- We are compiling a list of valve monuments that are compromised and need replacing
- We had a contractor look at the TRR #4 and is getting us a proposal
- 965 meters were read system wide

Open Projects

- Mission Control upgrades (Double Adobe boost station) 5k/ expected completion 11/22
- Spare well pump and motor (ICR wells) 12k/ on order
- Complete system wide mission control /pricing and completion TBD*
- Golf course lake PVC valve/ pricing and completion TBD*
- Security Fence at Cooper Morgan site/ pricing and completion TBD*
- Installation of AC units at well control houses/ pricing and completion TBD *
- Installation of strategic locations for valves/ pricing and completion TBD*
- Add level transducers to Wells/ pricing and completion TBD*
- Add heating and Lighting to ICR well #2 pump house/ pricing and completion TBD*
- Eye wash stations at well houses / pricing and completion TBD*
- Ventilation at well houses/ pricing and completion TBD *

- * tasks generated from Civil Tech review

Water Testing

Analysis Name	Month	# of samples	result
Monthly Microbiology	October 2022	4	Absent
PFAS	October 2022	(1) TRR (1) ICR	Non-detect Non-detect